

SINTERED ULTRA-HIGH TEMPERATURE CERAMIC MATRIX COMPOSITES

In the aerospace and fast transport sectors there is a growing demand for advanced structural materials capable of withstanding temperatures over 1500 °C in highly corrosive environments. Rocket nozzles and thermal protection systems for spacecraft flying at hypersonic speeds must be able to withstand intense heat flows and extreme mechanical stress upon launch and re-entry into the Earth's atmosphere. In fast transport, the braking systems are the components most subject to wear and temperature. The need for lightness, the combination of extreme temperatures, rapid heating / cooling cycles and chemically aggressive environments are requirements that led researchers to develop ceramic matrix composites (C/SiC, SiC/SiC) and carbon_carbon (C/C) in the 60s and 80s. There is currently a strong interest in innovating the production processes of these materials to reduce production times, costs and create a very high-durability version as an alternative to carbon_carbon composites.

"The most resistant materials in the world for space field"

Laboratory	CNR-ISSMC
Specialization Area	Mechatronics and Materials
Contacts	Diletta Sciti, Luca Zoli
Keyword	ceramic matrix composites, ultra-high temperature ceramics, thermal shock, ablation, wear resistance, rocket nozzle, thermal protection system



Fig. 1: example of harsh environments where sinterable ultra-high temperature ceramic matrix composites are applicable





Fig. 2: examples of prototypes made by machining of ultra-high temperature ceramic matrix composites obtained by sintering

Description

The new technology developed by the researchers of ISTEC allows to fabricate new generation CMCs with an ultra-high temperature ceramic matrix, called UHTCMCs in the scientific literature. The patented process is faster, cheaper, safer and more eco-friendly than industrial methods to realize current CMCs. From a technical point of view, the process is mainly based on 1) impregnation of carbon fiber fabrics with mixtures of ultra-high temperature ceramic powders and 2) consolidation by sintering. The new technology aims to obtain the first components for temperatures above 2000 °C made in Italy, useful for equipping the next generation of satellite launchers, supercars, high-speed trains etc.

The UHTCMC materials patented by CNR-ISTEC (n° 102016000008310) have been validated at temperature above 1800 °C (TRL 5) as thermal protections for the re-entry into the atmosphere of spacecraft at hypersonic speed and (TRL 6) as rocket nozzle for propulsion applications in hybrid and solid propellant bench-top motor. The design, manufacturing and testing were carried out within a consortium of 12 partners, including industries in the aerospace sector (AVIO, AIRBUS, ARIANE Group) in the frame of an European project - C3harme (Next Generation Ceramic composites for combustion harsh environment and space - GA 685594), coordinated by ISTEC. The next step is to test UHTCMC materials on the International Space Station (ISS) within a Wintertime project coordinate by ESA and CNES.

Innovative aspects

UHTCMC materials distinguish themselves from CMC materials industrially produced and under development in other research centers by:

- content of UHTC phase up to 60% and perfect homogenization of the fibre with the ceramic phases,
- consolidation by fast sintering (from a few hours to 1 day), which involves a considerable reduction in production times,
- absence of porosity, necessary to obtain exceptional resistance to wear and ablation,
- absence of protective coatings (not necessary due to the characteristics of the material),
- improvement of mechanical properties with increasing temperature,
- excellent workability to obtain complex shapes.

Potential applications

To manufacture reusable near-zero ablation heat shields for hypersonic vehicles and near-zero erosion rocket engine components of satellite launchers, it is necessary to engineer the production process to obtain prototypes suitable for achieving higher TRLs, 8-9 (aerospace) and TRL 5 (systems braking). In particular, it is necessary to collect the interest of private companies in testing the components with very high TRL e.g AVIO, SPACEX; VIRGIN GALATTICA, BREMBO etc. We aim to create the first network of Italian manufacturing companies on this technology.






Fig. 3: example of prototype of TPS test up to TRL 5

Application example

In the aerospace and fast transport sectors there is a growing demand for advanced structural materials capable of withstanding temperatures over 2000 °C in highly corrosive environments. Rocket nozzles and thermal protection systems for spacecraft flying at hypersonic speeds must be capable of withstanding intense heat flows (1 to 10 MW×m⁻²) and extreme mechanical stresses upon launch and re-entry into the earth's atmosphere.

During the C3harme project, dozens of prototypes of plates (spacecraft thermal protectors) and propulsion engine components (nozzles) were manufactured and tested by partners (AVIO, UNINA, DLR), demonstrating durability and reusability of the components at temperatures over 2000 °C and almost no erosion or ablation. The reusability tests (three times) were passed by a large margin. For more information see www.c3harme.eu and some scientific publications:

S. Mungiguerra, G.e D. Di Martino, R. Savino, L. Zoli, L. Silvestroni, D. Sciti, Characterization of novel ceramic composites for rocket nozzles in high-temperature harsh environments, Int. J.Heat and Mass Transfer, 163 (2020), 120492, <https://doi.org/10.1016/j.ijheatmasstransfer.2020.120492>
S. Mungiguerra, G. D. Di Martino, A. Cecere, R. Savino, L. Zoli, L. Silvestroni, D. Sciti, Ultra-high-temperature testing of sintered ZrB₂-based ceramic composites in atmospheric re-entry environment, International Journal of Heat and Mass Transfer, Volume 156, 2020, 119910, <https://doi.org/10.1016/j.ijheatmasstransfer.2020.119910>.
A. Vinci, L. Zoli, D. Sciti, J. Watts, G.E. Hilmas, W.G. Fahrenholtz, Influence of fibre content on the strength of carbon fibre reinforced HfC/SiC composites up to 2100 °C, J. Eur. Ceram. Soc. 39 (2019) 3594–3603. doi:<https://doi.org/10.1016/j.jeurceramsoc.2019.04.049>.

Involved partners

Avio S.p.A., Italy, <https://www.avio.com/>
Arianegroup, Germany, <https://www.ariane.group/en/>
Airbus Group, Germany <http://www.airbus.com/>
Nanoker research, Spain, <http://www.nanoker.com/>
Federico II, Italy <http://www.unina.it/>
DLR, Germany, <http://www.dlr.de>

Implementation Time

36 month

Technology Readiness Level

TRL5 - Technology validated in relevant environment (industrially relevant environment in the case of key enabling technologies)

Exploitation

K3RX (www.k3rx.com) is the new CNR spinoff whose main activity is to offer components for the space market and high / hyper speed transport by exploiting CNR patents:
a) COMPOSITE MATERIAL BASED ON C/SIC FIBERS WITH ULTRA-REFRACTORY, HIGH TENACITY AND ABLATION RESISTANT MATRIX
b) PROCEDURE FOR OBTAINING ULTRA-REFRACTORY CERAMICS FIBER REINFORCED COMPOSITES



CNR-ISSMC

**Consiglio Nazionale delle Ricerche - Istituto di
Scienza, Tecnologia e Sostenibilità per lo
Sviluppo dei Materiali Ceramici**



L'Istituto di Scienza e Tecnologia dei Materiali Ceramici (ISSMC-CNR) è l'unica struttura di ricerca del CNR, e la più grande operante nel paese, con programmazione poliennale specificamente indirizzata allo studio globale dei materiali ceramici.

Le attività di ISSMC riguardano: ricerca, iniziative di sostegno alla formazione e alla valorizzazione e disseminazione dei risultati. Le attività di ricerca sono indirizzate all'innovazione di materiali e processi in risposta alle emergenti esigenze del comparto industriale, scientifico e culturale, per i vari settori applicativi. Gli argomenti spaziano dallo studio di base, alla caratterizzazione di materie prime e di materiali, allo sviluppo e innovazione di processi di produzione. Scopo degli studi è il controllo di proprietà e prestazioni di dispositivi ceramici tramite il controllo del processo e l'ingegnerizzazione dei materiali per specifiche applicazioni. Attraverso lo sviluppo di nuovi processi, nanotecnologie incluse, vengono ingegnerizzati e sviluppati nuovi materiali e proposte soluzioni per modificare anche prodotti tradizionali e dotarli di nuove funzioni e prestazioni.

I materiali e le competenze offerti fanno riferimento ai settori:

- Applicazioni industriali ad alta tecnologia,
- Aerospazio,
- Funzionalizzazione delle superfici con nanotecnologie ceramiche,
- Biomateriali per la nanomedicina e la rigenerazione dei tessuti,
- Ceramici per Meccatronica, Energia e Ambiente,
- Conservazione e restauro del patrimonio culturale.

Website <http://www.istec.cnr.it/>

Director Alessandra Sanson

Published on 18/05/2022

