

Additive manufacturing applied to tubular reluctance electric machines

This activity illustrates the design of a tubular synchronous reluctance linear motor, which mover is made by metal additive manufacturing. Tubular motors are used in industry for several advantages: zero radial force, direct linear motion (more speed and precision), reliability and low maintenance costs. To date, the most studied tubular topology is the permanent-magnet configuration due to its high force densities and dynamic performance; however, magnets imply several disadvantages: high cost, low availability and low sustainability. For this reason, synchronous reluctance motors have attracted the interest of industry.

Tubular reluctance geometry is difficult to produce with classical techniques, especially if the geometry of the flux barriers needs to be refined to increase torque. The degrees of freedom of additive manufacturing would help improve the design of flux barriers to maximize the generated torque.

> Innovative materials and new manufacturing techniques for electric machines["]

Laboratory	RAW POWER
Specialization Area	Mechatronics and Materials
Contacts	Ambra Torreggiani
Keyword	Additive Manufacturing, Synchronous Reluctance Electric Motors, Tubular Electric Motors, Free- Magnets Elettric Motors




Fig. 1: Cross-section rendering of two poles of synchronous reluctance tubular motor with mover made by means of additive manufacturing





Description

Initially, a theoretical study was carried out to optimize the shape and the number of barriers for the tubular geometry. A lumped-parameter analytical model was devised for an estimate of the performance based on the analyzed geometry.

Subsequently, 2D finite element simulations were performed; in fact, the tubular geometry can be represented as an axisymmetric 2D problem. From these simulations it was possible to further optimize the geometry by trying to minimize the ripple of the generated force.

In the end, an optimized geometry of the tubular motor's mover was obtained, capable of providing acceptable performance, considering the fact that the rare-earths were completely removed. This geometry can be manufactured through innovative production techniques such as additive manufacturing which allows for infinite degrees of freedom in the design phase, therefore extensive optimization of the geometries with the aim of maximizing performance. Thanks to the additive manufacturing process it is possible to manufacture the designed complex geometry; furthermore, a production process is more sustainable, since it does not produce waste. *Fig. 2: First prototype of the tubular synchronous reluctance motor.*


Innovative aspects

The innovative aspects of the proposed solution are the use of additive manufacturing for the mover and, consequently, the optimization of the design of the mover geometry. Generally, these types of motors use permanent-magnets due to the difficulty in the manufacturing process with traditional techniques. Thanks to additive manufacturing it is possible to overcome this limitation and design an optimized geometry for a synchronous reluctance linear tubular motor. There are also several advantages from a sustainability point of view, since the use of rare-earths is avoided and additive printing is an almost waste-free production process.

Potential applications

The designed motor can be used in various industrial applications where a linear actuator is needed and where space constraints are particularly stringent. In this way it is in fact possible to directly obtain linear motion without the need for additional mechanical parts.





Involved partners	Raw Power S.R.L e M4P material solutions GmbH
Implementatio n Time	9/10 months
Technology Readiness Level	TRL2 - Technology concept formulated
Exploitation	 Partners to explore topics such as: characterization of metal powders for magnetic circuits; study of how additive manufacturing processes influence the magnetic properties of materials; improve the manufacturing techniques of iron-silicon powders; Search for potential end users to orient the design towards industrialization of the product.

Fig. 3: Example of linear actuator.

Application example

Linear actuator for applications in the medical, aerospace or military fields where the use of magnets is not permitted or is severely limited.

The linear actuator can be used in industries such as aerospace and military. Generally, magnets are often considered unreliable as they are subject to demagnetization phenomena. Thus, reluctance actuators thus constitute an excellent sustainable solution for such applications.

Furthermore, additive manufacturing is still a fairly expensive technology, so highly specialized sectors requiring tailor-made designs such as these are, at the moment, among the few that can afford processing with such a level of precision and freedom.





RAW POWER



Websitehttp://www.rawpowergroup.it/DirectorDanilo DavidPublished on20/05/2024

Raw Power Srl was founded in 2007 as a spin-off of the University of Modena and Reggio Emilia, from the will of a group of people working in the field of power electronics. Raw Power is a design and consultancy SME specialized in the following domains: design of power electronics for static energy conversion, electric machines and drives for industrial applications. Customers are assisted from the definition of requirements, through subsequent R&D activities, up to the first prototyping and production of the product. Raw Power offers innovative and cutting-edge solutions and support in the certification process.

Alongside its design services, Raw Power also operates an electric motor testing laboratory (EML), equipped with three test benches of 5Nm-2kW, 50Nm-12kW and 500Nm-45 kW. The services offered include: tests on rotating electric machines according to Standard EN 60034-1: 2011 + EC1: 2015, efficiency tests of electric motors according to Standard EN 60034-2-1: 2015, approval tests of electric powertrains according to the Regulations R85 and R134 and converter efficiency tests (CDM) according to IEC 61800-9-2: 2017.

Raw Power's corporate mission maintains the university origins of the company and aims to encourage technological transfer from the world of research to the world of business. The laboratory staff is made up of engineers with a master's degree and/or PhD in electronics, mechatronics and management.

Since 2015, Raw Power has been a laboratory accredited by the Emilia-Romagna High Technology Network.

